



## QVGQ2.E363592 Isolated Loop Circuit Protectors - Component

[Page Bottom](#)

### Isolated Loop Circuit Protectors - Component

[See General Information for Isolated Loop Circuit Protectors - Component](#)

#### **NLIGHTNING TECHNOLOGY CO LTD**

E363592

13-3 MINFU ST  
ZHONGHE DISTRICT  
NEW TAIPEI, 235 TAIWAN

**Transient-voltage surge suppressors**, Model P6KE, followed by 6.8, 7.5, 8.2, 9.1A, 10, 11, 12, 13, 15, 16, 18, 20, 22, 24, 27, 30, 33, 36, 39, 43 or 47, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Model 1.5KE, followed by 6.8, 7.5, 8.2, 9.1A, 10, 11, 12, 13, 15, 16, 18, 20, 22, 24, 27, 30, 33, 36, 39, 43, 47, 51, 56, 62, 68, 75, 82, 91, 100, 110 or 120, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Model 5KP, followed by 5.0, 6.0, 6.5, 7.0, 7.5, 6.0, 8.5, 9.0, 10.0, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 26, 28, 30, 33, 36, 40, 43, 45, 48, 51, 54, 58, 60, 64, 70, 75, 78, 60, 85, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180 or 190, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Model 5KP, followed by 5.0, 6.0, 6.5, 7.0, 7.5, 6.0, 8.5, 9.0, 10.0, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 26, 28, 30, 33, 36, 40, 43, 45, 48, 51, 54, 58, 60, 64, 70, 75, 78, 60, 85, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180 or 190, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Models SMAJ5.0, 6.0, 6.5, 7.0, 7.5, 6.0, 8.5, 9.0, 10.0, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22 or 24, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Models SMBJ5.0, 6.0, 6.5, 7.0, 7.5, 6.0, 8.5, 9.0, 10.0, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 26, 28, 30, 33, 36 or 40, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Models SMCJ5.0, 6.0, 6.5, 7.0, 7.5, 6.0, 8.5, 9.0, 10.0, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 26, 28, 30, 33, 36, 40, 43, 45, 48, 51, 54, 58, 60, 64, 70, 75, 78, 60, 85, 90 or 100, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Models SMDJ5.0, 6.0, 6.5, 7.0, 7.5, 6.0, 8.5, 9.0, 10.0, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 26, 28, 30, 33, 36, 40, 43, 45, 48, 51, 54, 58, 60, 64, 70, 75, 78, 60, 85, 90, 100, 110, 120, 130, 140, 150, 160 or 170, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Model P4SMA, followed by 6.8, 7.5, 8.2, 9.1A, 10, 11, 12, 13, 15, 16, 18, 20, 22, 24, 27, 30 or 33, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Model P6SMB, followed by 6.8, 7.5, 8.2, 9.1A, 10, 11, 12, 13, 15, 16, 18, 20, 22, 24, 27, 30, 33, 36, 39, 43, 47 or 51, may be followed by A, C or CA.

**Transient voltage surge suppressors**, Model 1.5SMC, followed by 6.8, 7.5, 8.2, 9.1A, 10, 11, 12, 13, 15, 16, 18, 20, 22, 24, 27, 30, 33, 36, 39, 43, 47, 51, 56, 62, 68, 75, 82, 91, 100, 110 or 120, may be followed by A, C or CA.

2-Electrode Gas Discharge Tubes, type NLC2Rxxx-5, where xxx is 090, 150, 230, 300, 350, 400, 420, 470, or 600.

2-Electrode Gas Discharge Tubes, NLC2RxxxH-5, where xxx is 090, 150, 230, 300, 350, 400, 420, 470, or 600.

2-Electrode Gas Discharge Tubes, NLC2R-xxx-5S, where xxx is 090, 150, 230, 300, 350, 400, 420, 470, or 600.

2-Electrode Gas Discharge Tubes, NLC2RxxxH-5S, where xxx is 090, 150, 230, 300, 350, 400, 420, 470, or 600.

2-Electrode Gas Discharge Tubes, NLC2Rxxx-6S, where xxx is 075, 090, 140, 150, 200, 230, 250, 260, 300, 350, 400, 420, 470, 500, 550, 600, or 800.

2-Electrode Gas Discharge Tubes, NLC2Rxxx-8, where xxx is 090, 150, 230, 300, 350, 400, 420, 470, 600, or 800.

2-Electrode Gas Discharge Tubes, NLC2RxxxH-8, where xxx is 090, 150, 230, 300, 350, 400, 420, 470, 600, or 800.

2-Electrode Gas Discharge Tubes, NLC2Rxxx-8S, where xxx is 090, 150, 230, 300, 350, 400, 420, 470, 600, or 800.

2-Electrode Gas Discharge Tubes, NLC2RxxxH-8S, where xxx is 090, 150, 230, 300, 350, 400, 420, 70, 600, or 800.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-5S, where xxx is 075, 090 or 150.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-5S, where xxx is 230, 300, 350, 400, 420, 470 or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-6, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-6, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-6C, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470 or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-6C, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-6S, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-6S, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-7, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-7, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-7S, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-7S, where xxx is 075,090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-8, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-8, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-8C, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-8C, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-8L, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxG-8L, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470 or 600.

3-Electrode Gas Discharge Tubes, NLC3Rxxx-8S, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

3-Electrode Gas Discharge Tubes, NLC3RxxxH-8S, where xxx is 075, 090, 150, 230, 300, 350, 400, 420, 470, or 600.

2-Electrode Surface Mount Gas Discharge Tubes, NLC4532-xxx, where xxx is 075, 090, 150, 200, 230, 300, 350, 400, 470, or 600.

2-Electrode Surface Mount Gas Discharge Tubes, NLC5050-xxx, where xxx is 075, 090, 150, 200, 230, 300, 350, 400, 470, or 600.

Marking: Company name, model designation and the Recognized Component Mark  on the product or smallest shipping container.

Last Updated on 2014-03-06

---

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".